

Laboratory

GSTIN: 10AJZPC9047MIZQ

ANNAPURNA TRADING

Chachan Complex, Near Uma Market, Motijheel, Muzaffarpur

Phone: +91-7903735008.

Website: <http://www.facebook.com/annapurnatrading/>

Email: annapurnatrading1@gmail.com

DELIVERY CHALLAN

DATE: 26.06.2023

To : THE DISTRICT PLANNING OFFICER
DARBHANGA - 846001.

College : MAHATMA GANDHI COLLEGE, SUNDERPUR
DARBHANGA, BIHAR

Dear Sir

Please acknowledge the receipt of the following Laboratory Equipments as per your order No- 1074 District Planning Officer, Darbhanga, dated- 09.06.2023.

SN	PHYSICS:	SPECIFICATION	Qty
01	NEWTON'S RING EXPERIMENT	Magnification : 30X Longitudinal movement : 26 mm Rotating Drum reading : up to 0.001 cm Focusing eyes piece : Rack & pinion Package type : Wooden Box Inclined Angle : 45 Degree	01.pc
02	VERNIER READING TRAVELLING MICROSCOPE	Material : High Quality Case Iron Vernier reading : 0.1mm Eyepiece : 10X Ramsden objective Package type : Wooden Box	01.pc
03	BI PRISM SPECTROMETER	Grooved lines Main graduated scale : 150mm (6') Measuring verniers reading : 1 into 30 Secs Arc. Scale Reading : 15cm to 17.5 cm Package type : Wooden Box	01.pc
04	OHMS LAW MEASURE VOLTAGE AND CURRENT.	Type of Product: Ohm'S Law With Power Supply Moving coil : AC/DC ammeter and voltmeter	01.pc
05	RAMSDEN EYEPIECE BY READING TELESCOPE	Sales Package Tube : Eyepiece- 10x Skillset : Hand & Eye Co-ordination Material : Brass Battery Operated : No Dimensions Weight : 5000 g	01.pc
06	LOGIC GATES (INPUT WITH SPDT SWITCH NAND,NOR NOT,AND & ORGATE).	Frequency : 50hz Input Voltage : 230V AC Usage : Laboratory Packaging Type : Corrugated Box Dimension : 200 X 300 mm Power Supply : 230 V Type : Micro Controller Board Electrically Operated : Yes	01.pc

Page No. 01 - 14

ew
1/1/25
Principal
Mahatma Gandhi College
Darbhanga
Annapurna Trading

Laboratory

GSTIN: 10AJZPC9047MIZQ

ANNAPURNA TRADING

Chachan Complex, Near Uma Market, Motijheel, Muzaffarpur

Phone : +91- 7903735008.



Website : <http://www.facebook.com/annapurnatrading/>

Email : annapurnatrading1@gmail.com

SNo	PHYSICS:	SPECIFICATION	C
07	JEAGER'S APPARATUS.	Material MS : Glass, Wood Packaging Type : Box Finishing Color Coated Application : Laboratory Use Number of Tubes : 2 Scaling Type : Linear Scale	01.p
08	DIP CIRCLE.	Base: Heavy Aluminum Tripod Base Material: Brass Reading: 0 to 90 Deg C Reading Vernier: 360 Deg C	01.f
09	P.N JUNCTION CHARACTERISTIC APPARATUS.	Meter Type: Analog Power Supply: DC Supply 0-100V & 2Volts, 150mA. Voltmeter: Magnetic Coil Type 0-2/100 Volt Ammeter Magnetic Coil Type 0-10:1 mA. PN Junction : 1 Forward & 1 Reverse, Size Usage : Laboratory Packaging Type : Corrugated Box Dimension : 200 X 300 mm Type : Micro Controller Board Electrically Operated : Yes	01.f
10	ZENER DIODE CHARACTERISTIC APPARATUS	Meter Type: Analog POWER SUPPLY 0-15VDC/150MA.VOLTMETER 015VAMMETER 15/15MA Usage : Laboratory Packaging Type : Corrugated Box Dimension : 200 X 300 mm Type : Micro Controller Board Electrically Operated : Yes	01.f
11	PNP & NPN CHARACTERISTIC APPARATUS.	Meter Type: Analog On Board Power Supply: 0-1VDC & 0-10VDC, Operating Power Supply: 220VAC Usage : Laboratory Packaging Type : Corrugated Box Dimension : 200 X 400 mm Type : Micro Controller Board Electrically Operated : Yes	01.f
12	COMPRISING OF DC REGULATED POWER SUPPLY ON NPN CHARACTERISTIC APPARATUS.	Meter Type: Analog On Board Power Supply: 0-1VDC & 0-10VDC, Operating Power Supply: 220VAC Usage : Laboratory Packaging Type : Corrugated Box Dimension : 200 X 300 mm Type : Micro Controller Board Electrically Operated : Yes	01.f

ewf
7/7/23
Principal
Mahatma Gandhi College
Darbhanga





Laboratory

GSTIN: 10AJZPC9047MIZQ

ANNAPURNA TRADING

Chachan Complex, Near Uma Market, Motijheel, Muzaffarpur

Phone : +91- 7903735008.

Website : <http://www.facebook.com/annapurnatrading/>

Email : annapurnatrading1@gmail.com

SN	PHYSICS:	SPECIFICATION	Q
13	FET CHARACTERISTIC APPARATUS.	Power Supplies 0-10V DC/ 10mA & 0-5 VDC Usage : Laboratory Packaging Type : Corrugated Box Type : Micro Controller Board Electrically Operated : Yes	0
14	UJT CHARACTERISTIC APPARATUS	Regulated Power Supply 0-20 V/150mA & 0-20 V/ 150 mA Usage : Laboratory Packaging Type : Corrugated Box Dimension : 200 X 400 mm Type : Micro Controller Board Electrically Operated : Yes	0
15	ELECTRIC DISCHARGE LAMP USING IONIZED SODIUM WITH TRANSFORMER	Low Pressure Sodium Lamp Watt: 35W Usage : Laboratory Packaging Type : Corrugated Box	0
16	WHEATSTONE BRIDGE.	Meter Type : LCD Range : 0.001 to 11.1 Megohms Ratio Arm : Seven ratios of x 1000, x100, x 10, x 1, *0.1, x.01,*0.001 Accuracy : Series Arm : + 0.05%, Ratio Arm + 0.02% Confirming to Grade AIS 1565-1966. Battery Operated Galvanometer : Sensitive Galvanometer of 20uA/mm. Size 375 x 300 x175 mm (approximately) Suitable for Murray & Varlex Loop Test	0
17	SHEARING BRIDGE	Usage/Application : Laboratory SIZE : 15"8" Material : metal Power Supply : 220 volt Indicator : 5 Volt DC Meter : digital	0
18	ANDERSON BRIDGE	Usage/Application : Laboratory Surface Finish : Coating Power Source : Electricity Frequency : 50Hz Shape : Rectangular Operating Supply Voltage : 220VAC	0


Page No. 03 - 14

Annapurna Trading

Signature
7/7/23

Principal
Mahatma Gandhi College
Darbhanga





Laboratory

GSTIN: 10AJZPC9047MIZQ

ANNAPURNA TRADING

Chachan Complex, Near Uma Market, Motijheel, Muzaffarpur

Phone : +91- 7903735008.

Website : <http://www.facebook.com/annapurnatrading/>

Email : annapurnatrading1@gmail.com

SN	PHYSICS:	SPECIFICATION	Q
19	BALLISTIC GALVANOMETER.	Usage : Laboratory Supply Voltage : 220V Meter Type : Analog Current Type : DC Resistance : 500 ohms Pack Type : Wooden Box	01
20	ELECTRON BY D'SAUTY BRIDGE	Material : Mild Steel Frequency : 1KHz Power Supply : Ac Supply Accuracy : 0.5%	01
21	REVERSIBLE BY KATER'S PENDULUM	Material : Stainless Steel Usage : Laboratory Diameter : 1.0 cm Rod Size : 120cm	01
22	MELDE'S ELECTRICALLY OPERATED.	Usage/Application : School, College, University, Research Laboratories TYPE : Osaw Type Packaging Type : Corrugated box Diameter : 75 mm Power Supply : 2 V AC	01
23	INDUCTION COIL	Usage : Laboratory uses. Induction Coil : On a teak wood base with graduated scale. Primary coil : 300 turns Secondary : 7500 turns. Interrupter working directly off the iron core.	01
24	STEP DOWN TRANSFORMER	Usage : Laboratory use. Power : 220V Phase : Single Phase	01
25	MOVING COIL GALVANOMETER MOUNTED ON STAND	Diameter : 65 mm , scale : 50mm. accuracy : 2% f. S. D. scale : 25-0-25 Moving coil , d. C. In plastic case	03


Page No. 04 - 14

Signature
7/7/23
Principal
Mahatma Gandhi College
Darbhanga

Annapurna Trading



Scanned with OKEN Scanner



GSTIN: 10AJZPC9047MIZQ

ANNAPURNA TRADING

Chachan Complex, Near Uma Market, Motijheel, Muzaffarpur

Phone: +91-7903735008.

Website: <http://www.facebook.com/annapurnatrading/>

Email: annapurnatrading1@gmail.com

S N	PHYSICS:	SPECIFICATION	QTY
26	AMMETER 050-0500MA	Diameter :65mm . scale : 50mm. accuracy :2% f. S. D scale : 25-0-25 Moving coil , d. C. In plastic case	02.pc
27	RESITANCE BOXES 100.OHMS	Resistance Range :100 ohm Material :Brass Plug Material :Brass with ABS Nobes . Box Plug Type : Plug type Usage/Application : School and college lab	03.pc
28	5000.OHMS PLUG TYPE	Resistance Range : 1-5000 ohm Material :Aluminum Plug Material :Aluminum with ABS Nobes Box Plug Type : Plug type Usage/Application : School and college lab	02.pc
29	HORIZONTAL METALLIC BOYL'S LAW	Material :Wooden Height : 44" Connecting Pipe Length :1000mm Usage/Application : School and college lab Scale Reading : 0- 100 cm	02.pc
30	SET OF 8 DIFFERENT FREQUENCIES BY FORK	Usage Application : Laboratory Material :Stainless Steel Steel Grade :SS302 Size : 8 Different Sizes	02.set
31	100CM LONG COMPASS MAGNETOMETER	Packaging Type : Box Display Type : Analog Usage : Laboratory shape : Round	02.pc
32	PENCIL JOCKEY 4 WIRE METER BRIDGE 100CM LONG	Packaging Type : Box Material :Wood Dimensions :1.12m x 100mm x 50mm Usage : Laboratory	02.pc
33	OPTICAL BENCH ACCESSORIES DOUBLE ROD 100CMLONG.	Material :Brass, Stainless Steel, Iron Packaging Type : Box Usage/Application : Laboratory Rod Length :1,1 (1/2) meter long Iron C.P Rod.	01.pc
34	DIGITAL ELECTRONIC SENSITIVE BALANCE	Accuracy :0.01g Rated Load : 150g Power Supply : Battery Operated	01.pc
35	METER SCALE	Usage/Application : Laboratory Material :Wood Length :one meter	10. pcs

Page No. 05 - 14

Annapurna Trading

Principal
Mahatma Gandhi College
Darbhanga





Laboratory

GSTIN: 10AJZPC9047MIZQ

ANNAPURNA TRADING

Chachan Complex, Near Uma Market, Motijheel, Muzaffarpur

Phone: +91- 7903735008.



Website: <http://www.facebook.com/annapurnatrading/>

Email: annapurnatrading1@gmail.com

SN.	PHYSICS	SPECIFICATION	QTY
36	SLIDE CALIPER	Material: Stainless Steel Size/Dimension: 6 Inches Measuring Range: 0.1 to 300 mm Accuracy: 0.1 mm Display Type: Analog Usage/Application: Laboratory, Industrial	06 pc
37	STAND WITH CLAMP	Model: Burette stand with clamp, boss head & rod Type: Utility Clamp Material: Steel Number of Clamp Holders: Single Adjustment Type: Screw Head Dimensions: Height: 45.75 cm Compatible Rod Diameter: 1 cm	06 set
38	THERMOMETER 110 F/C	Special Feature: High Accuracy Recommended Uses For Product: Temperature Measurement Colour: yellow Age Range (Description): Adult Outer Material: Glass Specification Met: NIST Display Type: Analog Maximum Storage Temperature: 100 Degrees Celsius Upper Temperature Rating: 110 Degrees Celsius Response Time: 500 Milliseconds Reusability: Reusable Resolution: Analog Immersion Depth: 10 Centimeters Inner Material: Glass Number of Memory Sticks: 1 Item Weight: 198 g Package Dimensions: 32 x 10 x 7 cm; 198 Grams	10 pc
39	CAPILLARY TUBE	Usage/Application: Chemical Laboratory Material: Glass Packaging Type: Box Color: Clear Capacity: 10 - 100 ml	01 Box
40	RUBBER TUBE	Wall Thickness: 1.5 mm Bore: 08 mm Color: RED Size: 8MM Usage/Application: Laboratory	01 Co
41	AUDIO FREQUENCY OSCILLATOR	Type of Product: Digital Function Generator Product Sub Type: Audio Oscillator Waveform Amplitude: Sine, Square and Triangle Output Signal Impedance: 100mV - 5V peak to peak variable Power Supply: 220V/ 50Hz, 100% Frequency Range (Hz): 2Hz to 200KHz in four decade ranges	01 pc

Principal
Mahatma Gandhi College
Darbhanga



SN	CHEMISTRY:	SPECIFICATION	QTY
42	PH METER ELECTRONIC TABLE MODEL	Model Number : Digital PH Meter Table Top 0-14 PH Type Digital pH Meter Measuring Range: 0-14 PH Accuracy • 0.01PH Temperature: 0-100C *Power Source • 230 VAC	01.pc
43	DETERMINATION OF M.P.OF SOLID BYMAGNETIC STIRRER WITH HOT PLATE	Speed control range: 250-1250RPM Max stirring volume (Capacity) 15litres Plate temperature regulation range •30°C •330°C Temperature uniformity on the plate: +3°C Working plate heating time 180-330°C 15 min Maximum continuous operation time 168 h Diameter of working plate 160 mm Working surface material Aluminum alloy	01.pc
44	DIGITAL ELECTRONIC SENSITIVE BALANCE	Accuracy: 0.01g Rated Load: 150g Power Supply: Battery Operated	01.pc
45	DETERMINATION OF SOLID M.P. BY MULTI MAGNETIC	Material: MS Max Stirring Capacity: 1200 RPM Hot plate surface: with hot plate Working: stirring and heating Stirring speed: up to 1200 RPM Temperature: upto 200c	01.pc
46	TREATMENT OF WATER PLANT	Type: Deionizer Cat ion & Anion Direct reading range: 0.30- 0.40 microns/cm Capacity: 50 liter.	01.pc
47	ELECTRICALLY OPERATED WATER BATHSIXHOLE TO WORK IN 220VAC	Usage: Laboratory Material: SS Capacity: 6 Hole Temperature Range: 95 Degree Celsius Automation Grade: Semi- Automatic Accuracy: +/-1c. Type: Rectangular. Phase: Single Phase. Chamber Size: 25X 35 X 10 cm, Country of Origin: Made in India Power Source: Electric	01.pc
48	KIPP'S APPRATUS	Material: Polyethylene Capacity: 1000 ml Diameter: 5 mm Max Capacity: 250 ml Usage: Laboratory	01.pc
49	CHEMICAL BALANCE	Measuring capacity: 10-50 gm Accuracy: 99% Material: Stainless Steel Balance Type: Analytical Use: Laboratory	01.pc

ewf
7/7/23
Principal
Mahatma Gandhi College
Darbhanga



Laboratory

GSTIN: 10AJZPC9047MIZQ

ANNAPURNA TRADING

Chachan Complex, Near Uma Market, Motijheel, Muzaffarpur

Phone: +91- 7903735008.



Website: <http://www.facebook.com/annapurnatrading/>

Email: annapurnatrading1@gmail.com

S N	BIOLOGY	SPECIFICATION	QT
50	COMPLETE SET WITH ALL BINOCULAR SCOPE OPTICAL COMBINATION ILLUMINATION WITH MERCURY LAMP 220VAC 6V 20W	Light Source Type: Mercury Material: Die casting, plastic, Brass Colour: Multi- coloured Real Angle of View: 45 Degrees Voltage: 220VAC 6 Volts 20 W Eyepieces: Ach. EWF 10x, 5x Huy (Paired)(Strain free) Head: Binocular head inclined at 45 degree, rotatable to 360 degree. Objectives: Achromatic 4x, 10x, 40x (SL) & 100x (SL) oil immersion.	01pc
51	COMPLETE SET WITH ALL MONOCULAR OPTICAL COMBINATION ILLUMINATION WITH HALOGEN 3W LED /6V 20W	Light Source Type: Halogen 3W LED/6V 20W Metal Construction Eyepiece: 10x, 15x Objective: 10x, 45x Total Magnification: 100x to 600	01pc
52	EQUIPPED WITH 20W/220V OF HALOGEN PROJECTION SCOPE LAMP	Screen Type: Round Dia. of Screen: 150mm diameter. Bulb Halogen 6V-20 Watts. Objectives: 10x & 40x SL Huy. Eyepiece: 10x	01pc
53	AIR HOT HEATING RANGE-50C-250C OVEN SIZE-12"X12"X12"	Material: Stainless Chamber Type: Digital Size 18X18X18 inches Heating Media: Tubular Heater Usage/Application: Laboratory Max. Temperature: 250 deg Celsius Material: MSPowder coated with stove enamel paint Air Circulation: Forced Air Circulation Inside chamber constructed: Stainless steel 304 Outer Material: Mild steel (Vacuum Oven)	01pc
54	ELECTRICALLY OPERATED OVENS VACUUM & GLASS WINDOW IN DOOR	Display: Analog, Max Temperature: 50 C to 200 degree C, Voltage: 230 V, AC, 50 Hz, Working chamber: 30 x 22.5 Cm, Accuracy: 2 degree C, Inside chamber constructed: Stainless steel 304 Outer Material: Mild steel (Vacuum Oven)	01pc

Page No. 08 - 14


Annapurna Trading

ewr
7/7/23

Principal
Mahatma Gandhi College
Darbhanga



Scanned with OKEN Scanner



GSTIN: 10AJZPC9047MIZQ

ANNAPURNA TRADING

Chachan Complex, Near Uma Market, Motijheel, Muzaffarpur

Phone: +91- 7903735008.

Website: <http://www.facebook.com/annapurnatrading/>

Email: annapurnatrading1@gmail.com


<u>Sl</u>	<u>BIOLOGY</u>	<u>SPECIFICATION</u>	<u>QT</u>
	HORIZONTAL GEL ELECTROPHORESIS UNIT	Usage : Laboratory Current : 0-2.5 Amps Voltage Range : 0 - 400 V Operating Temperature Range : 0- 30 Deg C	01 pc
5	LAMINAR AIR FLOW	Usages : Laboratory uses. Body Material : M.S Powder coated Air Flow : 90 FPM (0.45 m/s) 10 FPM (0.05 m/s) Average velocity : 152.4 mm Noise level : less than 65 DB Filter : Aluminum framed	01 pc
57.	THIN LAYER CHROMATOGRAPHY CHAMBER (TLC)	Spreader (Applicator) made of Aluminum/electroplated brass Perplex Base size 143X26 cm to support 5 glass plates of size 20X20cm and 2 plates of 20X5cm Plate Rack Aluminum for ten 20X20cm plates Spotting Tern plate perplex Developing Tank with lid T.L.C Plates set 20X20 cm or 20X10cm Micro-pipette Scriber for making lines Glass sprayer with rubber below	01 pc

Page No. 09 - 14

Annapurna Trading

ew
7/7/23
Principal
Mahatma Gandhi College
Darbhanga





GSTIN: 10AJZPC9047MIZQ

ANNAPURNA TRADING
Chachan Complex, Near Uma Market, Motijheel, Muzaffarpur
Phone: +91-7903735008.

Website: <http://www.facebook.com/annapurnatrading/>


Email: annapurnatrading11@gmail.com

S.N	ZOOLOGY	SPECIFICATION	QTY
58	COMPOUND MICROSCOPE OF ADVANCED TECHNOLOGY	Magnification: 100, 450 Packaging Type: Thermo box Eyepiece: 10x and 15x Portable: Yes Objectives: 10x and 45x	01 pc
59	DISSECTING MICROSCOPE	Magnification: 10x, 20x Eye Piece: 10x, 20x Power Supply: No Power Source: No Packing Type: Styrofoam box	01 pc
60	DISSECTING BOX	Usage/Application: Laboratory Material: Stainless Steel Packaging Type: Box Set of Instruments: 18	01 Set
61	GLASS SLIDES	Size: 75mm x 25mm Usage/Application: Chemical Laboratory Material: Glass Thickness Of Slide: 1.25mm Pack Size: 50 pcs	01 pkt
62	HAEMOMETER	Automation: Manual Differential Type: 4-Part Number Of Parameters: LYM Sample Mode: Whole Blood Usage/Application: Used for the determination of blood's content of hemoglobin	01 set
63	HAEMOCYTOMETER	Usage/Application: For Laboratory Use Color: white Material: Plastic and Glass HBG Germany (Bright Line)	01 pc
64	MODELS (DIGESTIVE SYSTEM)	Color: Natural Material: PVC Usage/Application: Medical / Science College Type: Digestive System Model Mounted on: Board	01. Pc

Page No. 10-14

Annapurna Trading

ew
21/7/23
Principal
Mahatma Gandhi College
Darbhanga



Laboratory

GSTIN: 10AJZPC9047MIZQ

ANNAPURNA TRADING

Chachan Complex, Near Uma Market, Motijheel, Muzaffarpur

Phone : +91- 7903735008.



Website : <http://www.facebook.com/annapurnatrading/>

Email : annapurnatrading11@gmail.com

<u>ZOOLOGY</u>	<u>SPECIFICATION</u>	<u>QTY</u>
MODELS (NERVOUS SYSTEM)	Color Natural Material PVC Usage Application Medical / Science College Type Digestive System Model Mounted on Board	01 Pc
DIFFERENT TYPES OF CHARTS (DIGESTIVE SYSTEM, NERVOUS SYSTEM, COCKROACH, EARTHWORM & DIFFERENT BLOOD VESSELS).	Highly informational • Clear prints • Tear resistant Size 75 x 100 cm Type With Roller Material Paper Color White	05 pc
67. BONES OF FROG	Size Full Size Material Fiber & plastic Color Multicolor Packaging Type Cartons Application Biological Laboratory usage	01 Set
68. BONES OF BIRD	Size Full Size Material Fiber & plastic Color Multicolor Packaging Type Cartons Application Biological Laboratory usage	01 Set
69. BONES MAMMALS	Size Full Size Material Fiber & plastic Color Multicolor Packaging Type Cartons Application Biological Laboratory usage	01 Set
70. MUSEUM SPECIMEN (INVERTEBRATE)	Size 200mm x 50mm Type Anatomical Model Subject Biology Usage/Application Laboratory Material Fiberglass	05 pc
71. MUSEUM SPECIMEN (VERTEBRATE)	Size 200mm x 50mm Type Anatomical Model Subject Biology Usage/Application Laboratory Material Fiberglass	05 pc

Page No. 11 - 14

Signature
11/7/23

Principal
Mahatma Gandhi College
Darbhanga


Annapurna Trading



S.N	ZOOLOGY	SPECIFICATION	QTY
72.	PERMANENT SLIDES OF INVERTEBRATES	Material Glass Application: Chemical Laboratory Thickness Of Slide: 1-4 mm Shape: Rectangle Size: 25X75	20 pc
73.	PERMANENT SLIDES OF VERTEBRATES	Material Glass Application: Chemical Laboratory Thickness Of Slide: 1-4 mm Shape: Rectangle Size: 25X75	20 pc
74.	PERMANENT SLIDES OF HISTOLOGY	Material Glass Application: Chemical Laboratory Thickness Of Slide: 1-4 mm Shape: Rectangle Size: 25X75	20 pc
75.	PERMANENT SLIDES OF EMBROLOGY	Material Glass Application: Chemical Laboratory Thickness Of Slide: 1-4 mm Shape: Rectangle Size: 25X75	20 pc

ew
21/7/23

Principal
Mahatma Gandhi College
Darbhanga



GSTIN: 10AJZPC9047MIZQ

ANNAPURNA TRADING

Chachan Complex, Near Uma Market, Motijheel, Muzaffarpur

Phone: +91- 7903735008

Website: <http://www.facebook.com/annapurnatrading/>


Email: annapurnatrading1@gmail.com

SNo.	GEOGRAPHY:	SPECIFICATION	QTY
76.	ANEMOMETER	Used for ambient temperature bulb temperature. wind speed, Large-screen LCD and backlig Data Hold Auto Power OFF USB real time data uploading	01.pc
77.	BAROMETER FORTIN'S	Material: Brass Atmo-spheric Pressure: 710 mm Hg - 790/800 mm Hg and 940 - 1070 Range: 950-1070 hpa Frame: 140	01.pc
78.	THERMOMMETER	Temperature Range: -10 TO 110 C AND -20 TO 220 F Usage/Application: Laboratory Usage: Lab use Accuracy: 1 Degree C	06.pc
79.	COPPER RAIN GAUGE	Material: Copper Measuring Range: 0.14 mm/min Is It Portable: Portable Rain Accuracy: 2% Thickness: 10 mm Surface Finishing: Polished	01.pc
80.	PRISMATIC COMPASS	Display Type: Analog Material: Brass Size: Diameter: 100 mm Shape: Round Operation Mode: Manual	01.pc
81.	CLINOMETER COMPASS	Packaging Size: A clinometer is required for positioning a vessel on a proper trim. It also indicates the correct he Packaging Type: Carton Box A clinometers is required for positioning a vessel on a proper trim. It also indicates the correct he Material: Stainless Steel Usage: Application: Geographical lab use	01.pc
82.	LEVELLING STAFF	Model Name/Number: LS 4m Usage: Application: For Leveling Type: Mechanical Material: Plastic	01.pc

ew
2/2/23

Principal
Mahatma Gandhi College
Darbhanga

Annapurna Trading



GSTIN: 10AJZPC9047MIZQ

ANNAPURNA TRADING

Chachan Complex, Near Uma Market, Motijheel, Muzaffarpur

Phone: +91- 7903735008.

Website: <http://www.facebook.com/annapurnatrading/>

Email: annapurnatrading1@gmail.com

SN	GEOGRAPHY:	SPECIFICATION	QTY
83.	AUTOMATIC DUMPY LEVEL	Usage: Survey Equipment Packaging Type: Hard Box Material: M.S, Cast Iron, and Aluminum Color: Yellow and Black	01.pc
84.	GEOLOGICAL MAPS OF INDIA	Both side laminated with rollers. Size 90 x 70cms 1:5 M	01.pc
85.	G.P.S SYSTEMS	Application: Industrial, Laboratory Overvoltage Protection: Up To 100 Output Signal: DUT-E A10: Analog. Output Voltage Range: 2.5-9 V	01.Set
86.	RANGING ROD	Usage/Application: Survey Material: Aluminum Surface Treatment: Galvanized Surface Finishing: Paint Coated Length: 3 meter	01.pc
87.	GEOLOGICAL SPECIMEN (ROCK SET)	Packaging: Wooden boxes packed upper face with transparent glass.	01.pc
88.	GEOLOGICAL SPECIMEN (MINERAL SET)	Packaging: Wooden boxes packed upper face with transparent glass.	01.pc
89.	GEOLOGICAL SPECIMEN (METTALIC ORES SET)	This Collection contains 12 Types of Basic Metals Specimens. The Metal Specimens include Some of the following Aluminum (Al), Antimony (Sb), Cadmium (Cd), Calcium (Ca), Copper (Cu), Iron (Fe), Lead (Pb), Magnesium (Mg), Nickel (Ni), Sulphur (S), Tin (Sn) & Zinc (Zn) Etc.	01.pc
90.	NAUTICAL SEXTANT	Usage/Application: Geography Laboratory Material: Brass Size/Dimension: 12 X 11 X 6 cm Temperature Range: -30 to 50 deg C Ambient temperature Range of measurement: -5 to +130 deg Arc angle: 60 Degree	01.pc

ew
217123

Principal
Mahatma Gandhi College
Darbhanga